

7. Operating System Support

7.1 Real-time Operation

7.2 Scheduling Algorithms

A Graduate Course on Multimedia Technology	© Wolfgang Effelsberg, Ralf Steinmetz	7. Operating System Support	7-1
-----------------------------------------------	------------------------------------------	-----------------------------	-----


7.1 Real-time Operation

Management of processes in operating systems

Logical resources (i.e., processes) are mapped onto physical resources (e.g., central processing unit CPU and memory).

A process can have four states:

- **running**: it is allocated to a processor
- **ready**: it holds all operating resources but not the processor
- **blocked**: it waits for the occurrence of an event (e.g., the termination of an output to disk)
- **inactive**: the process is not assigned to an application program.



Scheduler and Dispatcher

The **scheduler** decides which of the *inactive* processes will be moved to the *ready* state.

The **dispatcher** decides which process to move next from state *ready* to state *running*.

In conventional operating systems, **neither** scheduler **nor** dispatcher **are capable of real-time processing**.

A Graduate Course on Multimedia Technology	© Wolfgang Effelsberg, Ralf Steinmetz	7. Operating System Support	7-3
-----------------------------------------------	------------------------------------------	-----------------------------	-----

Requirements for Multimedia

Processing of continuous data streams

The data to be processed appears in **periodic** time-intervals.

Typical operations on multimedia data are:

- Creation and playout of audio and video packets,
- Transmission of audio and video packets,
- Compression and decompression of audio and video packets.

Real-time requirements:

- Processing must be completed by a specific time (**deadline**)
- Processing of a multimedia data packet takes approximately the same amount of resources in each time period.

A Graduate Course on Multimedia Technology	© Wolfgang Effelsberg, Ralf Steinmetz	7. Operating System Support	7-4
-----------------------------------------------	------------------------------------------	-----------------------------	-----

Light-weight Processes (Threads)

Concept

- Concurrent (parallel) activities are carried out **within one address space**.
- Each concurrent activity is called a **thread**.
- Data transfer between threads is efficient (just a copy operation).
- A "context switch" (i.e., a switch between different threads) is much more efficient than a switch between normal, heavy-weight operating system processes.

But:

There is **no access protection** between threads provided by the operation system! (same address space for all threads!)

A Graduate Course on Multimedia Technology	© Wolfgang Effelsberg, Ralf Steinmetz	7. Operating System Support	7-5
-----------------------------------------------	------------------------------------------	-----------------------------	-----

Reservation of Resources

Pessimistic (deterministic) reservation

- Takes the worst case into consideration
- Generally reserves too many resources most of the time, and thus leads to sub-optimal use of the resources

Optimistic (stochastic) reservation


- Reservation is made for the expected value (mean value) of the processing resources
- Leads to good usage of the resources
- But can lead to an overload of the resources (blocking or sub-optimal execution of a process)
- Role of a run-time monitor:
 - Monitors resource usage
 - In case of overload, initiates suitable action, such as scaling (QoS adaptation) or blocking of the process and withdrawal of the resource.

Real-time Process Specification for Multimedia

Traditional systems usually have

- *either* a scheduling mechanism for time-sharing applications
- *or* a scheduling mechanism for real-time applications

In multimedia systems, a scheduler for both types of applications is required.



Traditional Real-time Applications vs. Multimedia Applications

Data in traditional real-time applications (e.g., in process automation and control) typically have **hard** real-time requirements.

Multimedia data are generally intended for presentation to the human being as the data sink. This means:

- **Rare violation of deadlines is acceptable.** For example, a macro block decoding failure in a video that is caused by late-coming and thus rejected data might be tolerated since the decoder then repeats the corresponding macro block of the previous frame.
- In traditional real-time systems, the operations are not always periodic. Multimedia data is periodic. Scheduling and dispatching algorithms can take advantage of the periodicity. Resource requirements are easier to predict.

A Graduate Course on Multimedia Technology	© Wolfgang Effelsberg, Ralf Steinmetz	7. Operating System Support	7-8
-----------------------------------------------	------------------------------------------	-----------------------------	-----

Process Scheduling Goals


The main goal of process scheduling and dispatching is to ensure that **all** deadlines of **all** processes are satisfied. Additional optimization goals are:

- A high average utilisation of the resources, leading to high throughput
- fast computation of the resource allocation (an efficient algorithm).


The allocation does not necessarily have to be **optimal**. Complexity theory tells us that otherwise, the problem would be NP-complete.

A Graduate Course on Multimedia Technology	© Wolfgang Effelsberg, Ralf Steinmetz	7. Operating System Support	7-9
-----------------------------------------------	------------------------------------------	-----------------------------	-----


Scheduling Problem: An Example



Allocation of the processor according to laxity, with "preemption"



Improved allocation of the processor (non-algorithmic)



7.2 Scheduling Algorithms

Requirements

- All deadlines must be met.
- Resource utilization should be high.
- Best-effort requests should not starve.
- The algorithm should be efficient, i.e., not use too much CPU time itself.

The scheduler can take advantage of the **periodicity** of continuous data streams.

A Graduate Course on Multimedia Technology	© Wolfgang Effelsberg, Ralf Steinmetz	7. Operating System Support	7-11
-----------------------------------------------	------------------------------------------	-----------------------------	------

Preemptive vs. Non-preemptive Scheduling

Preemptive scheduling

- If a process with higher priority requests a resource, the currently active (running) process is moved to the READY state, the high-priority process gets the CPU, i.e., is moved to the RUNNING state.
- There are many more process switches, process management overhead is high.


Non-preemptive scheduling

- Active processes are not interrupted by high-priority requests.
- The number of process switches is lower, overhead is low.

Non-preemptive scheduling generally performs well for processes with short execution times.

A Graduate Course on Multimedia Technology	© Wolfgang Effelsberg, Ralf Steinmetz	7. Operating System Support	7-12
-----------------------------------------------	------------------------------------------	-----------------------------	------

Model of a Periodic Data Stream




- R_j : Arrival rate
- P_j : Processing time
- D_j : Deadline for the termination of the process

These three parameters control the scheduling algorithm.

A Graduate Course on Multimedia Technology	© Wolfgang Effelsberg, Ralf Steinmetz	7. Operating System Support	7-13
-----------------------------------------------	------------------------------------------	-----------------------------	------

Algorithm 1: Earliest Deadline First (EDF)

The process with the **earliest deadline** is assigned the highest priority.



Process priorities vary over time.

One can show that the EDF algorithm always finds a valid schedule if there exists one.


Resources can be used up to 100%.

A Graduate Course on Multimedia Technology	© Wolfgang Effelsberg, Ralf Steinmetz	7. Operating System Support	7-14
-----------------------------------------------	------------------------------------------	-----------------------------	------

EDF Scheduling

In most cases of **periodic** scheduling, the deadline of a request is identical to the end of the period since the data buffer is needed again.

Arrival times



Performance

Preemptive scheduling (Liu /Layland, 1973):

- maximum possible throughput:

$$\sum_{\text{all streams } i} R_i P_i \leq 1$$


- delay of a packet $\leq 1/R_i$

Non-preemptive scheduling (Nagarajan/Vogt, 1992)


- same throughput as above
- delay of a packet $\leq 1/R_i + P_i$

Algorithm 2: Rate-Monotonic Scheduling (RM)

The process with the **highest packet rate** is assigned the highest priority.



Result of rate-monotonic scheduling




While streams are running priorities do not change; only when a new stream starts or when a stream ends, priorities are re-computed.

RM is an algorithm for **periodic** processes only.

A Graduate Course on Multimedia Technology	© Wolfgang Effelsberg, Ralf Steinmetz	7. Operating System Support	7-16
-----------------------------------------------	------------------------------------------	-----------------------------	------

Rate-Monotonic Scheduling

Again, we set the deadline to the end of the period:



Performance

Preemptive scheduling (Liu/Layland, 1973):

- maximum possible throughput:

$$\sum_{\text{all streams } i} R_i P_i \leq \ln 2$$


- delay of a packet $\leq 1/R_i$

Non-preemptive scheduling (Nagarajan/Vogt, 1992):

- highly sophisticated computation
- guaranteed throughput is much less


Examples for RM and EDF

With preemption



Other Scheduling Algorithms

Scheduling according to **laxity**



- **Laxity:** maximum allowed waiting time until processing begins
- The process with the smallest laxity is assigned the highest priority.
- Priorities must be updated continuously (large computational overhead).

Determination of Processing Times

Problem


For most algorithms, the actual processing time per packet on the current CPU must be known!

An analytic computation is hardly possible.

A pragmatic approach: Measurement and standardization.

A Graduate Course on Multimedia Technology	© Wolfgang Effelsberg, Ralf Steinmetz	7. Operating System Support	7-20
-----------------------------------------------	------------------------------------------	-----------------------------	------

Measurement of Processing Time



SH = Stream Handler