

7. Operating System Support

7.1 Real-time Operation

7.2 Scheduling Algorithms

A Graduate Course on Multimedia Technology	© Wolfgang Eifelsberg, Ralf Steinmetz	7. Operating System Support	7-1
--	---------------------------------------	-----------------------------	-----


7.1 Real-time Operation

Management of processes in operating systems

Logical resources (i.e., processes) are mapped onto physical resources (e.g., central processing unit CPU and memory).

A process can have four states:

- **running**: it is allocated to a processor
- **ready**: it holds all operating resources but not the processor
- **blocked**: it waits for the occurrence of an event (e.g., the termination of an output to disk)
- **inactive**: the process is not assigned to an application program.



A Graduate Course on Multimedia Technology	© Wolfgang Eifelsberg, Ralf Steinmetz	7. Operating System Support	7-2
--	---------------------------------------	-----------------------------	-----

Scheduler and Dispatcher

The **scheduler** decides which of the *inactive* processes will be moved to the *ready* state.

The **dispatcher** decides which process to move next from state *ready* to state *running*.

In conventional operating systems, **neither** scheduler **nor** dispatcher **are capable of real-time processing**.

A Graduate Course on Multimedia Technology	© Wolfgang Eifelsberg, Ralf Steinmetz	7. Operating System Support	7-3
--	---------------------------------------	-----------------------------	-----

Requirements for Multimedia

Processing of continuous data streams

The data to be processed appears in **periodic** time-intervals.

Typical operations on multimedia data are:

- Creation and playout of audio and video packets,
- Transmission of audio and video packets,
- Compression and decompression of audio and video packets.

Real-time requirements:

- Processing must be completed by a specific time (**deadline**)
- Processing of a multimedia data packet takes approximately the same amount of resources in each time period.

A Graduate Course on Multimedia Technology	© Wolfgang Eifelsberg, Ralf Steinmetz	7. Operating System Support	7-4
--	---------------------------------------	-----------------------------	-----

Light-weight Processes (Threads)

Concept

- Concurrent (parallel) activities are carried out **within one address space**.
- Each concurrent activity is called a **thread**.
- Data transfer between threads is efficient (just a copy operation).
- A "context switch" (i.e., a switch between different threads) is much more efficient than a switch between normal, heavy-weight operating system processes.

But:

There is **no access protection** between threads provided by the operation system (same address space for all threads)!

A Graduate Course on Multimedia Technology	© Wolfgang Effeisberg, Ralf Steinmetz	7. Operating System Support	7-5
--	---------------------------------------	-----------------------------	-----

Reservation of Resources

Pessimistic (deterministic) reservation

- Takes the worst case into consideration
- Generally reserves too many resources most of the time, and thus leads to sub-optimal use of the resources

Optimistic (stochastic) reservation

- Reservation is made for the expected value (mean value) of the processing resources
- Leads to good usage of the resources
- But can lead to an overload of the resources (blocking or sub-optimal execution of a process)
- Role of a run-time monitor:
 - Monitors resource usage
 - In case of overload, initiates suitable action, such as scaling (QoS adaptation) or blocking of the process and withdrawal of the resource.


A Graduate Course on Multimedia Technology	© Wolfgang Effeisberg, Ralf Steinmetz	7. Operating System Support	7-6
--	---------------------------------------	-----------------------------	-----

Real-time Process Specification for Multimedia

Traditional systems usually have

- either a scheduling mechanism for time-sharing applications
- or a scheduling mechanism for real-time applications

In multimedia systems, a scheduler for both types of applications is required.



A Graduate Course on Multimedia Technology	© Wolfgang Effelsberg, Ralf Steinmetz	7. Operating System Support	7-7
--	---------------------------------------	-----------------------------	-----

Traditional Real-time Applications vs. Multimedia Applications

Data in traditional real-time applications (e.g., in process automation and control) typically have **hard** real-time requirements.

Multimedia data is generally intended for presentation to the human being as the data sink. This means:

- **Rare violation of deadlines is acceptable.** For example, a macro block decoding failure in a video that is caused by late-coming and thus rejected data might be tolerated since the decoder then repeats the corresponding macro block of the previous frame.
- In traditional real-time systems, the operations are not always periodic. Multimedia data is periodic. Scheduling and dispatching algorithms can take advantage of the periodicity. Resource requirements are easier to predict.

A Graduate Course on Multimedia Technology	© Wolfgang Effelsberg, Ralf Steinmetz	7. Operating System Support	7-8
--	---------------------------------------	-----------------------------	-----

Process Scheduling Goals


The main goal of process scheduling and dispatching is to ensure that **all** deadlines of **all** processes are satisfied. Additional optimization goals are:

- A high average utilization of the resources, leading to high throughput
- fast computation of the resource allocation (an efficient algorithm).

The allocation does not necessarily have to be **optimal**. Complexity theory tells us that otherwise, the problem would be NP-complete.


A Graduate Course on Multimedia Technology	© Wolfgang Eifelsberg, Ralf Steinmetz	7. Operating System Support	7-9
--	---------------------------------------	-----------------------------	-----

Scheduling Problem: An Example



Allocation of the processor according to laxity, with "preemption"

Deadline violation



Improved allocation of the processor (non-algorithmic)

A Graduate Course on Multimedia Technology	© Wolfgang Eifelsberg, Ralf Steinmetz	7. Operating System Support	7-10
--	---------------------------------------	-----------------------------	------

7.2 Scheduling Algorithms

Requirements

- All deadlines must be met.
- Resource utilization should be high.
- Best-effort requests should not starve.
- The algorithm should be efficient, i.e., not use too much CPU time itself.

The scheduler can take advantage of the **periodicity** of continuous data streams.

A Graduate Course on Multimedia Technology	© Wolfgang Effeisberg, Ralf Steinmetz	7. Operating System Support	7-11
--	---------------------------------------	-----------------------------	------

Preemptive vs. Non-preemptive Scheduling

Preemptive scheduling

- If a process with higher priority requests a resource, the currently active (running) process is moved to the READY state, the high-priority process gets the CPU, i.e., is moved to the RUNNING state.
- There are many more process switches, process management overhead is high.


Non-preemptive scheduling

- Active processes are not interrupted by high-priority requests.
- The number of process switches is lower, overhead is low.

Non-preemptive scheduling generally performs well for processes with short execution times.

A Graduate Course on Multimedia Technology	© Wolfgang Effeisberg, Ralf Steinmetz	7. Operating System Support	7-12
--	---------------------------------------	-----------------------------	------

Model of a Periodic Data Stream




- R: Arrival rate
- P_j : Processing time
- D_j : Deadline for the termination of the process

These three parameters control the scheduling algorithm.

A Graduate Course on Multimedia Technology	© Wolfgang Effelsberg, Ralf Steinmetz	7. Operating System Support	7-13
---	--	-----------------------------	------

Algorithm 1: Earliest Deadline First (EDF)

The process with the **earliest deadline** is assigned the highest priority.



Process priorities vary over time.


One can show that the EDF algorithm always finds a valid schedule if there exists one.

Resources can be used up to 100%.

A Graduate Course on Multimedia Technology	© Wolfgang Effelsberg, Ralf Steinmetz	7. Operating System Support	7-14
---	--	-----------------------------	------

EDF Scheduling

In most cases of **periodic** scheduling, the deadline of a request is identical to the end of the period since the data buffer is needed again.



Performance

Preemptive scheduling (Liu /Layland, 1973):

- maximum possible throughput:

$$\sum_{\text{all streams } i} R_i P_i \leq 1$$

- delay of a packet $\leq 1/R_i$


Non-preemptive scheduling (Nagarajan/Vogt, 1992)

- same throughput as above
- delay of a packet $\leq 1/R_i + P_i$


A Graduate Course on Multimedia Technology	© Wolfgang Eifelberg, Ralf Steinmetz	7. Operating System Support	7-15
---	---	-----------------------------	------

Algorithm 2: Rate-Monotonic Scheduling (RM)

The process with the **highest packet rate** is assigned the highest priority.



Result of rate -monotonic scheduling




While streams are running priorities do not change; only when a new stream starts or when a stream ends, priorities are re-computed.

RM is an algorithm for **periodic** processes only.

A Graduate Course on Multimedia Technology	© Wolfgang Eifelberg, Ralf Steinmetz	7. Operating System Support	7-16
---	---	-----------------------------	------

Rate-Monotonic Scheduling

Again, we set the deadline to the end of the period:



Performance

Preemptive scheduling (Liu/Layland, 1973):

- maximum possible throughput:

$$\sum_{\text{all streams } i} R_i P_i \leq \ln 2$$

- delay of a packet $\leq 1/R_i$


Non-preemptive scheduling (Nagarajan/Vogt, 1992):

- highly sophisticated computation
- guaranteed throughput is much less

A Graduate Course on Multimedia Technology	© Wolfgang Eifelberg, Ralf Steinmetz	7. Operating System Support	7-17
---	---	-----------------------------	------

Examples for RM and EDF


With preemption



A Graduate Course on Multimedia Technology	© Wolfgang Eifelberg, Ralf Steinmetz	7. Operating System Support	7-18
---	---	-----------------------------	------

Other Scheduling Algorithms

Scheduling according to laxity



- **Laxity:** maximum allowed waiting time until processing begins
- The process with the smallest laxity is assigned the highest priority.
- Priorities must be updated continuously (large computational overhead).

A Graduate Course on Multimedia Technology	© Wolfgang Eifelsberg, Ralf Steinmetz	7. Operating System Support	7-19
--	---------------------------------------	-----------------------------	------

Determination of Processing Times

Problem


For most algorithms, the actual processing time per packet on the current CPU must be known!

An analytic computation is hardly possible.

A pragmatic approach: Measurement and standardization.

A Graduate Course on Multimedia Technology	© Wolfgang Eifelsberg, Ralf Steinmetz	7. Operating System Support	7-20
--	---------------------------------------	-----------------------------	------

Measurement of Processing Time



SH = Stream Handler

A Graduate Course on Multimedia Technology	© Wolfgang Effelsberg, Ralf Steinmetz	7. Operating System Support	7-21
---	--	-----------------------------	------