Lecture on Sensor Networks

Copyright (c) 2005 Dr. Thomas Haenselmann (University of Mannheim, Germany).
Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.2
or any later version published by the Free Software Foundation;
with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.
A copy of the license is included on the last pages entitled "GNU
Free Documentation License".

time

©Thomas Haenselmann – Department of Com
Science IV – University of Mannheim

Communication in sensor networks

Terms

Classification and Motivation

Static channel assignment

Dynamic channel assignment

Error control

Terms

Source and sink	The sender is often called the source, the recipient of messages a sink or in the context of a data stream information is floating from the source to the sink. The assignment of these roles may change dynamically.
Frame length resp. Frame	A frame is a time interval which is fully occupied by one sender. Usually one data packet on the MAC layer occupies a frame.
Number of hops	Denotes the number of participants a message has to pass between the source and the sink before reaching its destination. The distance between a source and a direct neighbor is counted as 1 hop.
ACK	Acknowledgment, that the message was received correctly.
Routing	Means forwarding a packet into the right direction in order to reach a destination.
Carrier	Usually means a carrier frequency. The carrier frequency has to be detected before the modulated information can be decoded.
Idle	In the idle-state a participant doesn't want to transmit anything and eventually monitors the medium because it is unclear when a new message will arrive. In the case of sensor networks idle-times are particularly undesired because they waste energy needlessly.

©Thomas Haenselmann – Department of Computer Science IV – University of Mannheim

Communication in sensor networks

Terms

Classification and Motivation

Static channel assignment

Dynamic channel assignment

Error control

Classification and Motivation: The (ISO/OSI-network-) layer model

Application layer Presentation layer Session layer	
Transport layer	Is about end-to-end connections like flow control, preservation of the packet order etc. Single packets were already delivered by the network layer.
Network layer	How are data packets dispatched (especially: routed etc.) between distant participants?
Link layer	How is data dispatched between two nodes / routers in 1-hop distance? Also MAC-problems.
Physical layer	Specification of the wiring, carrier frequencies, etc.

©Thomas Haenselmann – Department of Computer Science IV – University of Mannheim

Communication in sensor networks

Classification and Motivation

Conventional wired computer networks consist of special routers which are connected by dedicated channels. There is only one router at the beginning and end of a (virtual) channel. Both of them use the medium exclusively. Hence gaining access to the medium causes no problems. Instead, a way through the graph of connected routers has to be chosen.



Terms

Classification and Motivation

Static channel assignment

Dynamic channel assignment

Error control

©Thomas Haenselmann – Department of Computer Science IV – University of Mannheim

Communication in sensor networks

Terms

Classification and Motivation

Static channel assignment

Dynamic channel assignment

Error control

Classification and Motivation

If on the other hand many computers communicate using a shared channel, the assignment of the „right to talk“ has to be organized. On the other hand there is no routing problem if everyone listens to the same channel. Example:

In discussions participant should have an exclusive right to talk. Often the negotiation about who’s allowed to talk takes place via the „visual channel“ by signaling the intention to talk to the discussion leader who then assigns the right to talk. Yet access control to the medium does not always work very well (consider Sabine Christiansen on Sunday evening).

In the context of mobile ad-hoc networks the shared medium often is a whole radio band (e. g. the ISM band on 2,4 GHz). However, many sensor nodes use only a single frequency or infrared signals.



©Thomas Haenselmann – Department of Computer Science IV – University of Mannheim

Communication in sensor networks

Terms

Classification and Motivation

Static channel assignment

Dynamic channel assignment

Error control

Static channel assignment

The channel is divided 1) into time slots
2) into frequency spectra







©Thomas Haenselmann – Department of Computer Science IV – University of Mannheim

Communication in sensor networks

Terms

Classification and Motivation

Static channel assignment

Dynamic channel assignment

Error control

Static channel assignment: Problems

Subdivision is finer than the number of participants	Every participant gets access, but bandwidth is wasted.
Subdivision coarser than number of participants	Some participants don't get a slot. Nevertheless, bandwidth is wasted because not every participant uses its channel for the whole time.

Example: Classical telephony (mixed dynamic/static)

The assignment of wires (channels) to connection desires is dynamic – and can therefore still fail. Once the connection is established, the corresponding bandwidth is available for the duration of the conversation – this is guaranteed.

Example: Voice-over-IP (dynamic only)

Voice is split up into small packets and transmitted over the IP-based network. The packet only arrives (on time or at all) if enough bandwidth exists (mostly works due to sufficiently large bandwidth; so-called over provisioning). But guaranties cannot be given.

©Thomas Haenselmann – Department of Computer Science IV – University of Mannheim

Communication in sensor networks

Terms

Classification and Motivation

Static channel assignment

Dynamic channel assignment

Error control

Dynamic channel assignment: Basic assumptions

The following channel assignment procedures assume the following principles:

Station model:	There are N independent stations. The stations want to transmit data packets over the medium. Stations send statistically independent of one another. Packets are only transmitted completely.
Single channel model:	Only one channel is used for communication. Everyone is able to send and receive. If not explicitly ruled out, a sender is able to receive its own message. This is often not the case with sensor nodes (consider our ESB nodes).
Collision assumption:	If two frames overlap in time a collision occurs. This can be detected by all the stations. There are no other errors than collisions.

Subdivision of time (particularly important in sensor networks):

a) continuous:	Stations may send at any time. Frames aren't synchronized.
b) subdivided:	Time is split up into intervals. In every interval 0, 1 or more packets are possible (corresponding to inactive, success, collision).

©Thomas Haenselmann – Department of Computer Science IV – University of Mannheim

Communication in sensor networks

Terms

Classification and Motivation

Static channel assignment

Dynamic channel assignment

Error control

Dynamic channel assignment: Basic assumptions

The following channel assignment procedures assume the following principles:

Carrier detection:

With: A station can detect that the channel is occupied and doesn't try to send in order not to disturb the current transmission.

Without: The availability of the channel isn't checked, everybody may send at anytime. Collisions of overlapping packets are detected afterwards.

Detection if the channel was a wire: The amplitudes of the signals are superimposed, the untypical high amplitude can already be detected technically on the level of the network adapter.

Less clear with radio channels, especially if sender and receiver are mobile. Error protection takes place mainly on the logical level.

Since in the case of our sensor nodes no error protection is implemented on level 2 of the hardware, we have to realize this ourselves in software. What follows is an excursus on error protection.

©Thomas Haenselmann – Department of Computer Science IV – University of Mannheim

Communication in sensor networks

Terms

Classification and Motivation

Static channel assignment

Dynamic channel assignment

Error control

Error control: Detecting vs. Correcting

Basically two variants are distinguished:
a) Error detecting codes
b) Error correcting codes (Forward Error Correction)

Both variants need a certain amount of redundancy. When does which variant make sense?

Error detection: Detection is eventually sufficient if the sink can ask the source for repeated transmission. Therefore, a feedback channel and a defined protocol are necessary. Error correction on the protocol level only makes sense with small error rates and / or high variance.

Example: In average every 1000th byte is disturbed. Packets also consist of 1000 bytes. Does a repeated transmission of defective packets make sense here?

Error correcting codes: A large amount of redundancy is necessary. Makes sense if a) no feedback channel is available or b) a packet would already be too late after repeated transmission (e. g. telephony, video conferences).

The technique to be uses depends on the typical error distribution, too, particularly on its variance. If errors occur rather in so-called bursts, hence very clustered, a repeated transmission of a packet may be the solution. Statistically independent errors rather promote error correcting codes.

©Thomas Haenselmann – Department of Computer Science IV – University of Mannheim

Communication in sensor networks

Terms

Classification and Motivation

Static channel assignment

Dynamic channel assignment

Error control

Error control: The Hamming-Distance

Given two codewords:

```
10001001          0011 Operand 1
10110001          0101 Operand 2
--------          ----
00111000          0110  XOR
```

The Hamming-Distance of two codewords corresponds exactly to the number of bits the codewords differ in. This is calculated using the XOR-operation. In other words: If two codewords have the Hamming-Distance d, then it is necessary to „toggle“ d bits to transform one codeword into the other.

The Hamming-Distance of a code is defined as the smallest possible distance two arbitrary (but different) codewords of a code can have.

To detect errors we need a code with valid and invalid words. To be able to detect d bit errors in a codeword the code must have a distance of d+1. Why doesn’t less distance suffice?

A code in which toggling one bit turns a codeword into another has the distance 1. Because all codewords are valid there’s no redundancy. Every word is allowed. With a distance of 2 at least 2 bits have to be toggled to create a new word. Toggling only one bit instead creates by definition an invalid word. The same applies to more bits.

©Thomas Haenselmann – Department of Computer Science IV – University of Mannheim

Communication in sensor networks

Terms

Classification and Motivation

Static channel assignment

Dynamic channel assignment

Error control

Error control: Error correcting codes

Error correcting codes need a distance of 2d+1 if d errors need to be detected and corrected. Why doesn't less distance suffice?

With a distance of 2d+1 we need to toggle 2d+1 bits to get from one valid codeword to another. If we toggle d bits only then the effort to get back to the original codeword is also exactly toggling d bits. But to get to a different (not the original) codeword when there are d bit errors it is necessary to toggle d+1 bits. If only d bit errors may occur then the shortest (and only) way to get to the next codeword is toggling d bits.

Example: 2 bits are encoded by 10

Orig. code:	00	01	10	11
E.corr.Code:	0000000000	0000011111	1111100000	1111111111

How many bit errors can be detected and corrected here?

©Thomas Haenselmann – Department of Computer Science IV – University of Mannheim

Communication in sensor networks

Terms

Classification and Motivation

Static channel assignment

Dynamic channel assignment

Error control

Error control: Redundancy estimation of error correcting codes

How many bits do we need at least for the correction of a bit error?

We want to have 2^m valid codewords. r correction bits are needed. The error correcting code will have n=(m+r) bits in total. By toggling one of the n bits (redundant bits may be toggled, too) we get an (illegal) codeword with a distance of 1.That means, for each of the 2^m valid words we can create n invalid words. Hence follows

$$(n+1)2^m \leq 2^n$$

(n+1) is composed of n invalid (each created by one bit error) and one valid codeword. The number of words of the error correcting code stands on the right side of the inequation.

n can be written as m data bits plus r correction bits.

$$(m+r+1)2^m \leq 2^{m+r} \Rightarrow \quad (m+r+1) \leq 2^r$$

With a given m we can estimate the number of correction bits a code needs in any case.

Example: 8 data bits require 4 correction bits / 1024 data bits require 11 correction bits
Apparently useful especially for larger packets, but only 1-bit errors can be corrected.

©Thomas Haenselmann – Department of Computer Science IV – University of Mannheim

Communication in sensor networks

Terms

Classification and Motivation

Static channel assignment

Dynamic channel assignment

Error control

Error control: The error correcting Hamming code

The Hamming code achieves the minimum of the previous estimation.

Algorithm: Number the bits from the LSB to the MSB. All 2^n bits are check bits, the rest are data bits. The data bits are filled up from left to right with the actual data, the check bits only depend on the data bits. Which data bit influences which check bit?

To see this, convert the number of a bit into its binary representation:

11 = 8+2+1

Data bit 11 hence influences check bits 8, 2 and 1. Check bit 1 is of course also influenced by the data bits 3, 5, 7 and 9. By definition all check bits combined with their data bits have to exhibit an even (or odd, depending what was agreed upon) parity.



©Thomas Haenselmann – Department of Computer Science IV – University of Mannheim

Communication in sensor networks

Terms

Classification and Motivation

Static channel assignment

Dynamic channel assignment

Error control

Error control: The error correcting Hamming code

Example: Data: 1101101



Correction procedure: First a counter is set to zero. Then the checkbits are checked one by one. If one of them produces the wrong parity the place of the corresponding check bit is added to the counter. In the end the counter references the place where a bit was toggled.

Single bit errors can be corrected like this.

Why does the counter value reference the defective bit?

Bit 1 defective? yes: Bits 3,5,7,9 and 11 may be defective
Bit 2 defective? no: Bits 5 and 9 are left
Bit 4 defective? yes: Only bit 5 is left

©Thomas Haenselmann – Department of Computer Science IV – University of Mannheim

GNU Free Documentation License
Version 1.2, November 2002

Copyright (C) 2000,2001,2002 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondarily, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

©Thomas Haenselmann – Department of Com
Science IV – University of Mannheim

A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
D. Preserve all the copyright notices of the Document.
E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
H. Include an unaltered copy of this License.
I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.
N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.
O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties--for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements".

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See http://www.gnu.org/copyleft/.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.

©Thomas Haenselmann – Department of Com
Science IV – University of Mannheim