Modeling of data networks by example: ns-2 (I)

Holger Füßler

Course overview

1. Introduction 7. NS-2: Fixed networks 8. NS-2: Wireless networks 2. Building block: RNG 3. Building block: Generating random variates I 9. Output analysis: single system and modeling examples 4. Building block: 10. Output analysis: comparing Generating random variates II different configuration and modeling examples 5. Algorithmics: 11. Omnet++ / OPNET **Management of events** 6. NS-2: Introduction 12. Simulation lifecycle, summary

Outline of this lecture

- Part I: What and why of ns-2
- Part II: Ns-2 overall structure and a basic ns-2 example
 - Scenario specification with tcl, otcl
 - Simulator object
 - Generic structure of a ns-2 simulation script
 - Ns-2: basic otcl script for UDP traffic
- Part III: First look into ns-2 internals
- Part IV: Another example from ns tutorial

I A brief history of ... ns-2

- >> 1989: REAL ('realistic and large') network simulator at University of California, Berkeley
- » 1995: DARPA VINT ('Virtual Inter-Network Testbed') project; LBL, Xerox PARC, UCB, USC/ISI
 - Developed ns-2 as their simulation tool
 - Nice overview paper: Lee Breslau et al., Advances in network simulation, IEEE
 Computer, May 2000

"Network researchers must test Internet protocols under varied conditions to determine whether they are robust and reliable. The Virtual Inter-Network Testbed (VINT) project has enhanced its network simulator and related software to provide several practical innovations that broaden the conditions under which researchers can evaluate network protocols."

» Currently: DARPA SAMAN and NSF CONSER projects develop ns-2

I Goals of ns-2

- Support networking research and education
 - Protocol design, traffic studies, etc
 - Protocol comparison
- » Provide a collaborative environment
 - Freely distributed, open source
 - Share code, protocols, models, etc
 - Allow easy comparison of similar protocols
 - Increase confidence in results
 - More people look at models in more situations
 - · Experts develop models
- » Multiple levels of detail in one simulator
 - Packet level
 - Session level

Network
education:
visualizations and
educational scripts

http://www.isi.edu/nsnam/dist


We focus on packet level simulations

[Source: Ns Tutorial 2002, Padmaparna Haldar]

I Elements of ns 'package'

[Source: Ns Tutorial 2002, Padmaparna Haldar]

- » Ns, the simulator itself
- » Nam, the network animator
 - Visualize ns (or other) output
 - Nam editor: GUI interface to generate ns scripts
- >> Pre-processing:
 - Traffic and topology generators
- » Post-processing:
 - Simple trace analysis, often in Awk, Perl, or Tcl




I Current status of ns-2

- >> Ns-2: most recent release is ns-2.27
 - Daily snapshots available
 - Full validation suite
- Nam: most recent release is nam-1.10
- » Ns-2 is pretty large:
 - Requires about 250 MB disk space
 - More than 200 K lines of code
- » Available for Linux, FreeBSD, SunOS, Solaris
 - Also runs on Windows 9x/2000/XP with cygwin
- >> Functionality:
 - Wired world: various routing methods, multicast, 'all' flavors of TCP, UDP, various traffic sources, various queuing disciplines, quality of service mechanisms, ...
 - Wireless world: ad hoc routing, mobile IP, directed diffusion, sensor-MAC, ...

I Our goal

- >> Learn how to generate network scenarios
- >> Learn how to run a simulation
- >> Learn how to analyze simulation output
- >> Understand how ns-2 works internally
- Our focus is not on how to implement new functionality
- >> Lecture 6 (today): introduction to ns-2
- >> Lecture 7: experiments with TCP using ns-2
- >> Lecture 8: experiments with wireless ad hoc networks using ns-2


II What do we want/have to model?



II Requirements

- » Scenario specification 'language'
 - We want to experiment easily with various scenarios without recompiling protocol logic
- >> Language for implementing protocol logic
 - Speed is important aspect
- » Both should be object-oriented
 - Reusability
 - Extensibility (method overloading)


II NS-2 overall architecture



- » OTcl: Object version of the 'Tool Command Language'
 - Tcl intro: http://www.tcl.tk/scripting/

II Tcl: Ousterhout on scripting languages

Scripting: Higher Level Programming for the 21st Century, John K. Ousterhout *IEEE Computer* magazine, March 1998



Scipting:

- System integration
 language
- Interpreted
- Typeless

Figure 1. A comparison of various programming languages based on their level (higher level languages execute more machine instructions for each language statement) and their degree of typing. System programming languages like C tend to be strongly typed and medium level (5-10 instructions/statement). Scripting languages like Tel tend to be weakly typed and very high level (100-1000 instructions/statement).

II Tcl: basic commands

>> Variables

```
- set x 10
- puts "x is $x"
```

>> Functions and expressions

```
- set y [pow x 2]
- set y [expr x*x]
```

» Procedures

```
- proc pow {x n} {
    if {$n == 1} { return $x }
    set part [pow x [expr $n-1]]
    return [expr $x*$part]
}
```

>> Control flow


```
if {$x > 0} { return $x } else {
    return [expr -$x]
    }
while { $x > 0 } {
    puts $x
    incr x -1
    }
```

Il Object Tcl (Otcl): basic commands

```
# subclass:
Class Person
                                          Class Kid -superclass Person
# constructor:
                                          Kid instproc greet {} {
 Person instproc init {age} {
                                             $self instvar age
    $self instvar age
                                             puts "$age years old kid:
    set age $age
                                             What's up, dude?"
 # method:
                                          set a [new Person 45]
 Person instproc greet {} {
                                          set b [new Kid 15]
    $self instvar age
                                          $a greet
   puts "$age years old: How
                                          $b greet
    are you doing?"
                                          => can easily make variations of existing
                                             things (TCP, TCP/Reno)
```

[Source: Ns-2 tutorial, P. Haldar, X. Chen, 2002]


II Ns-2: Class Simulator



II Ns-2: a simple otcl script

```
#Create a simulator object
                                               #Create two nodes
set ns [new Simulator]
                                               set n0 [$ns node]
                                               set n1 [$ns node]
#Open the nam trace file
set nf [open out.nam w]
$ns namtrace-all $nf
                                               #Create a duplex link between the nodes
                                               $ns duplex-link $n0 $n1 1Mb 10ms DropTail
#Define a 'finish' procedure
proc finish {} {
                                               #Call the finish procedure after 5 seconds
                                                   of simulation time
        global ns nf
                                               $ns at 5.0 "finish"
        $ns flush-trace
    #Close the trace file
                                               #Run the simulation
        close $nf
    #Execute nam on the trace file
                                               $ns run
        exec nam out.nam &
        exit 0
                                                          [Source: example1a.tcl, ns-tutorial]
}
```

II Nam output




II Ns-2: add data traffic (UDP)

```
#Create a UDP agent and attach it to node
                                              #Connect the traffic source with the
                                                  traffic sink
   n0
set udp0 [new Agent/UDP]
                                              $ns connect $udp0 $null0
$ns attach-agent $n0 $udp0
                                              #Schedule events for the CBR agent
                                              $ns at 0.5 "$cbr0 start"
# Create a CBR traffic source and attach
    it to udp0
                                              $ns at 4.5 "$cbr0 stop"
set cbr0 [new Application/Traffic/CBR]
$cbr0 set packetSize 500
$cbr0 set interval 0.005
$cbr0 attach-agent $udp0
#Create a Null agent (a traffic sink) and
    attach it to node n1
set null0 [new Agent/Null]
$ns attach-agent $n1 $null0
```

[Source: example1b.tcl, ns-tutorial]

II Nam output



II How do you get information on ns-2 commands?

- "Just a matter of language."
- » Ns manual
- » Plenty of examples in

ns-2.27/tcl

» Ns-2 tutorial by Marc Greis

ns-2.27/ns-tutorial

Excerpt from ns manual:

The following is a list of simulator commands commonly used in simulation scripts:

set ns_ [new Simulator]

This command creates an instance of the simulator object.

set now [\$ns_ now]

The scheduler keeps track of time in a simulation.

This returns scheduler's notion of current time.

\$ns_ halt

This stops or pauses the scheduler.

\$ns_ run

This starts the scheduler.

\$ns_ at <time> <event>


. . .

II Generic ns-2 script

```
set ns [new Simulator]
# [Turn on tracing]
# Create topology
# Setup packet loss, link dynamics
# Create routing agents
# Create:
# - multicast groups
# - protocol agents
# - application and/or setup traffic sources
# Post-processing procs
# Start simulation
```


[Source: Ns-2 tutorial, P. Haldar, X. Chen, 2002]

Il Nam editor for generating simple set-ups




III A first look into ns-2 internals

- We now have an basic understanding of the language used to specify a network scenario, but:
- > How are all these network elements represented/coded on the C++ side of ns-2?
- >> What do we need as 'primitives'?



III Basic Ns-2 internals

- >> Every NsObject has recv() method
- >> Connector: has target()
 and drop()
- » BiConnector: has
 uptarget() and
 downtarget()




III Example: connector


```
class Connector : public NsObject {
public:
    Connector();
    inline NsObject* target() { return target_; }
   virtual void drop(Packet* p);
protected:
   virtual void drop(Packet* p, const char *s);
    int command(int argc, const char*const*
    argv);
   void recv(Packet*, Handler* callback = 0);
    inline void send(Packet* p, Handler* h) {
    target_->recv(p, h); }
    NsObject* target_;
    NsObject* drop_; // drop target for this
    connector
```

III Ns-2 simple links

A simple link is a sequence of connectors.



III Ns-2 link basics




III Classifier

From ns manual:


- The function of a node when it receives a packet is to examine the packet's fields, usually its destination address, and on occasion, its source address. It should then map the values to an outgoing interface object that is the next downstream recipient of this packet.
- In ns, this task is performed by a simple classifier object. Multiple classifier objects, each looking at a specific portion of the packet forward the packet through the node. A node in ns uses many different types of classifiers for different purposes.

```
class Classifier : public NsObject {
public:
     ~Classifier():
     void recv(Packet*, Handler* h = 0);
protected:
     Classifier();
     void install(int slot, NsObject*);
     void clear(int slot);
     virtual int command(int argc, const
     char*const* argv);
     virtual int classify(Packet *const) = 0;
     void alloc(int);
     NsObject** slot_; /* table that maps slot
     number to a NsObject */
     int nslot;
     int maxslot;
};
```

III Ns-2 node basics (unicast)




III Our first ns-2 scripts revisited




[Source: Dr. A. Kirstädter]

III Our first ns-2 scripts revisted (2)



[Source: Dr. A. Kirstädter]

III Our first ns-2 scripts revisted (3)



III Ns-2 events and packets (coarse overview)

- >> Events: packets and 'at-events'
 - Class Packet is derived from class event
 - Objects in the class Packet are the fundamental unit of exchange between objects in the simulation.


Examples:

```
>> void schedule(Handler*,
        Event*, double delay);
        // sched later event
>> s.schedule(target_, p, txt +
        delay_); // from delay.cc
```

```
class Event {
public:
Event* next ; /* event list */
 Handler* handler ; /* handler
    to call when event ready */
 double time ; /* time at which
    event is ready */
 int uid ; /* unique ID */
Event() : time (0), uid (0) {}
}; // from scheduler.cc
```

IV Another example from ns tutorial (1)

```
#Create seven nodes
for {set i 0} {$i < 7} {incr i} {
       set n($i) [$ns node]
#Create links between the nodes
for {set i 0} {$i < 7} {incr i} {
   $ns duplex-link $n($i)
  $n([expr ($i+1) %7]) 1Mb 10ms DropTail
```



IV Another example from ns tutorial (2)

Send data from n0 to n3.

#Tell the simulator to use dynamic routing


\$ns rtproto DV


n = 1.0 down (1)

\$ns rtmodel-at 2.0 up \$n(1) \$n(2)

To play with this example, go to

ns-2.27/ns-tutorial/example3.tcl





Wrap-up

- >> Introduction to ns-2
- Specify scenario via Otcl, specifiy protocol logic via C++
- Some first ns-2 scripts that show generic ns-2 script structure
- » Nam: to visualize simulations
- Some internals of ns-2: connectors, recv functions, classifiers as basis for links and nodes

Discussion

What is the better approach to network simulation: top-down or bottom-up?